DEMKO CERTIFICATE

Certificate No. D-06686 Page 1/3

Date of Issue 2018-07-20

Certificate Holder Qualstar Corporation

130 W Cochran St, Suite C Simi Valley, CA 93065 USA

Manufacturer N2Power Inc., A Subsidiary of Qualstar Corporation

130 W Cochran St, Suite C Simi Valley, CA 93065 USA

Production site Panyu Trio Microtronics Co Ltd

SHIJI INDUSTRIAL ESTATE

DONGYONG NANSHA

GUANGZHOU, 511453 GUANGDONG China

See Page 2

Certified Product AC/DC Power Supplies

Model XL375-12 CS S148, XL375-xx @

See Page 2

Trademark

N2Power[™]

Rated Voltage / Frequency
Rated Current / Power
Insulation Class
Degree of protection (IP)
See Page 2
Class I
IPX0

Tested acc. to EN 62368-1:2014/A11:2017, EN 62368-1:2014

Test Report No. E211115-A6002-CB-2 issued on 2018-07-19, E211115-A6002-CB-2

issued on 2018-07-18

Additional for building-in

Expire date 2028-07-19

Certification Manager Jan-Erik Storgaard This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the D Mark Requirements. The Designated Certificate holder is entitled to use the d or for cables <DEMKO> for the Certified Product manufactured at the production site(s) identified above, in accordance with the D Mark Service Agreement, including without limitation the D Mark Testing and Certification Services Service Terms. Only those Products bearing the D Mark should be considered as being covered by UL's D Mark Service. This Certificate shall remain valid through the expiration date, unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior the expiration date.

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750 Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com www.ul-europe.com



Appendix DEMKO CERTIFICATE

Certificate No. D-06686 Page 2/3

Date of Issue 2018-07-20

Model Details:

XL375-xx @ , where "xx" denotes the output voltage (V1) between 12-60 Vdc and @ may be any alphanumeric character or blank, for marketing purpose only and no impact safety related constructions and critical components. May be followed by LED indicated changes in secondary circuit, see Model Difference for explanation.

Production Sites:

Wanwang Electronics (Shenzhen) Co Ltd No 20 Yuanhu Rd Zhangbei Ailian Longgang District Shenzhen, 518172 Guangdong China

Ratings: Input:

100-277 Vac, 4.5 A, 47-63 Hz - or -100-240 Vac, 4.5 A, 47-63 Hz

Output:

V1 = designated by "xx" in model nomenclature

A1 = 358 Watts/V1 A

V2 = 12 Vdc

A2 = 1 A

V3 = 5 Vdc (stand-by)

A3 = 1 A

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750 Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com www.ul-europe.com



