



Ref. Certif. No.

US-31382-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

AC/DC Power Supply

Name and address of the applicant

QUALSTAR CORPORATION
130 W COCHRAN ST, SUITE C
SIMI VALLEY CA 93065 USA

Name and address of the manufacturer

N2POWER, DIVISION OF QUALSTAR
130 W COCHRAN ST, SUITE C
SIMI VALLEY CA 93065 USA

Name and address of the factory

WANWANG ELECTRONICS (SHENZHEN) CO.,LTD
NO.20 YUANGHU RD ZHANGBEI AILIAN LONGGANG
DISTRICT SHENZHEN, GUANGDONG , 518172 P.R.
CHINA

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

Input Rated: 100-277 Vac, 4.5A, 47-63 Hz
Input Rated: 100-240 Vac, 4.5A, 47-63 Hz
See Page 2

Trademark (if any)



Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

XL375-12 CS S148, XL375-xx @
See Page 2

Additional information (if necessary may also be reported on page 2)

Additionally evaluated to EN 60950-1: 2006 / A11: 2009 / A1: 2010 / A12: 2011 / A2:2013; National Differences specified in the CB Test Report.

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60950-1(ed.2), IEC 60950-1(ed.2);am1,
IEC 60950-1(ed.2);am2

As shown in the Test Report Ref. No. which forms part of this Certificate

E211115-A10-CB-4 issued on 2018-03-08

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2018-03-09

Signature:

Jolanta M. Wroblewska



Ref. Certif. No.

US-31382-UL

Model Details:

XL375-xx @, where "xx" denotes the output voltage (V1) between 12-60 Vdc and @ may be any alphanumeric character or blank, for marketing purpose only and no impact safety related constructions and critical components. May be followed by LED indicated changes in secondary circuit, see Model Difference for explanation.

Factories:

PANYU TRIO MICROTRONICS CO LTD
SHIJI INDUSTRIAL ESTATE, DONGYONG, NANSHA GUANGZHOU, GUANGDONG 511453
CHINA

Ratings:

Output Rated:

V1 = designated by "xx" in model nomenclature

A1 = 358 Watts/V1

V2 = 12Vdc

A2 = 1A

V3 = 5Vdc (stand-by)

A3 = 1A

Additional information (if necessary)



UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/nbcnames

Date: 2018-03-09

Signature:

Jolanta M. Wroblewska